



MICROMETERS

METRIC AND IMPERIAL INSERTS

235 SERIES

- Exclusive for MOORE & WRIGHT 235 Series
- Supplied in sets of 2 parts
- Available in Metric Pitch (mm) or Imperial (Inch)




Code no.	Range	Code no.	Range	Code no.	Range
MW235-10	0.4 - 0.5mm	MW235-11	60-48TPI	MW235-71	14-10TPI
MW235-20	0.6 - 0.9mm	MW235-21	48-40TPI	MW235-81	10-7TPI
MW235-30	1.00 - 1.75mm	MW235-31	40-32TPI	MW235-91	7-4.5TPI
MW235-40	2.00 - 3.00mm	MW235-41	32-24TPI	MW235-99	4.5-3.5TPI
MW235-50	3.50 - 5.00mm	MW235-51	24-18TPI		
MW235-60	5.50 - 7.00mm	MW235-61	18-14TPI		

UNIVERSAL ANVIL MICROMETER

237 SERIES

Standard: DIN 863

- Features interchangeable universal anvil inserts for different purposes
- Full set of inserts included, flat, disc, spline, conical, V-shaped, blade, point
- Design Line product
- Resolution 0.01mm
- Satin-chrome scale
- Hammertone finished frame with high quality insulated grip
- Tapered for easier access to difficult areas
- With tungsten carbide measuring faces and constant force ratchet on thimble
- Packed in plastic box with standard and adjusting key



Code no.	Range	Resolution
MW237-01	0-25mm	0.01mm
MW237-02	25-50mm	0.01mm
MW237-03	50-75mm	0.01mm
MW237-04	75-100mm	0.01mm




MICROMETERS

237-DDL SERIES

DIGITRONIC UNIVERSAL ANVIL MICROMETER



Code no.	Range	Resolution
MW237-01DDL	0-25mm / 0-1"	0.001mm / 0.00005"
MW237-02DDL	25-50mm / 1-2"	0.001mm / 0.00005"
MW237-03DDL	50-75mm / 2-3"	0.001mm / 0.00005"
MW237-04DDL	75-100mm / 3-4"	0.001mm / 0.00005"



Standard: DIN 863


- Digital outside micrometer with 'easy read' large 7.5mm character height, digital display
- Features interchangeable universal anvil inserts for different purposes
- Full set of inserts included, flat, disc, spline, conical, V-shaped, blade, point
- Tapered for easier access to difficult areas
- 'Soft keys' for maximum operating comfort
- Long life guaranteed
- Features non-rotating spindle and constant force ratchet thimble
- Hammertone finished frame with high quality insulated grip
- Functions: mm/inch conversion, tolerance indication, ABS/INC, preset, on/off, zero-setting, data-output, battery low indication
- Packed in plastic box with standard and adjusting key

237-MD SERIES

MECHADIGIT UNIVERSAL ANVIL MICROMETER



Code no.	Range	Resolution
MW237-01MD	0-25mm	0.001mm
MW237-02MD	25-50mm	0.001mm
MW237-03MD	50-75mm	0.001mm
MW237-04MD	75-100mm	0.001mm



Standard: DIN 863

- Superior mechanical / digital micrometer
- Features interchangeable universal anvil inserts for different purposes
- Full set of inserts included, flat, disc, spline, conical, V-shaped, blade, point
- Patented system
- No batteries needed
- Tapered for easier access to difficult areas
- Features non-rotating spindle and constant force ratchet thimble
- Hammertone finished frame with high quality insulated grip
- Packed in plastic box with standard and adjusting key




MICROMETERS

ADJUSTABLE ANVIL MICROMETER

239 SERIES

Standard: DIN 863

- Features adjustable / interchangeable anvil for special purpose use
- 2 Anvils included
- Design Line product
- Resolution 0.01mm
- Satin-chrome scale
- Satin chrome finished frame with high quality insulated grip
- With tungsten carbide measuring face and constant force ratchet thimble
- Packed in plastic box with standard and adjusting key




Code no.	Range	Resolution
MW239-01	0-25mm	0.01mm
MW239-02	25-50mm	0.01mm
MW239-011	0-1"	0.0001"
MW239-021	1-2"	0.0001"

DIGITRONIC ADJUSTABLE ANVIL MICROMETER

239-DDL SERIES

Standard: DIN 863

- Digital outside micrometer with 'easy read' large 7.5mm character height, digital display
- Features adjustable / interchangeable anvil for special purpose use
- 2 Anvils included
- Modern design
- 'Soft keys' for maximum operating comfort
- Long life guaranteed
- With tungsten carbide measuring face and constant force ratchet thimble
- Satin chrome finished frame with high quality insulated grip
- Functions: mm/inch conversion, tolerance indication, ABS/INC, preset, on/off, zero-setting, data-output, battery low indication



Code no.	Range	Resolution
MW239-01DDL	0-25mm / 0-1"	0.001mm / 0.00005"
MW239-02DDL	25-50mm / 1-2"	0.001mm / 0.00005"